

Easy configuration of individual room climates.
FAMOSO, THERMIO



Grässlin GmbH

Bundesstraße 36
D-78112 St. Georgen
Germany

Phone: +49 (0) 7724 / 933-0
Fax: +49 (0) 7724 / 933-240

www.graesslin.de
info@graesslin.de





Room thermostat clocks, thermostats



Year-round comfort with precision room thermostats.

Grässlin room thermostats offer a variety of options for sensitively controlling residential, office, commercial and industrial buildings and simultaneously ensure that valuable energy is saved. The famosio and thermio product lines are distinguished by high functionality and intelligent performance features for controlling time and temperature tailored to need. The products' outstanding quality and reliability ensure that use is precise and safe. Whether hard-wired or wireless over a radius of up to 30 metres inside buildings – Grässlin room thermostat clocks and thermostats can be individually aligned to the respective situation in the building and can easily be installed in all systems. Simple handling goes without saying for all Grässlin room thermostats and is ensured by exemplary menu navigation.



Overview room thermostat clocks

	famoso 1000 rf T Radio controlled room thermostat clock	famoso 601 rf T famos 651 rf T Radio controlled room thermostat clock	famoso 500 famos 550 Room thermostat clock wired connection	famoso 505 famos 555 Room thermostat clock wired connection
Product image				
Connection voltage (Ord.-No.) Battery 220-240 V/50-60 Hz	04.51.0001.1	04.53.0002.1 04.53.0004.1	04.34.0001.1 04.34.0002.1	04.34.0005.1 04.34.0006.1
Switching programs	weekly program	daily program weekly program	daily program weekly program	daily program weekly program
Display	X	-	-	-
Underfloor heating	-	-	-	X X
Further technical information	page 64	page 64	page 66	page 66

famoso 800 famos 850 Room thermostat clock wired connection	famoso 1000 Room thermostat clock wired connection	famoso 801 Room thermostat clock wired connection	famoso 601 Room thermostat clock wired connection
			
04.42.0007.1 04.42.0008.1	04.50.0001.1	04.42.0011.1	04.40.0008.1
daily program weekly program	weekly program	daily program	daily program
X X	X	X	-
-	-	-	-
page 66	page 68	page 68	page 68



Thermostats

	thermio E	thermio 513	thermio 403	thermio 103
Product image				
Controller	electronic	Bi-metal	Bi-metal	Bi-metal
Connection voltage (Ord.-No.) 24 V/50-60 Hz 220-240 V/50-60 Hz	04.46.0014.1	04.46.0001.1	04.46.0005.1	04.46.0006.1
Connection for time switch	–	X	–	X
digital temp. indicator (actual and desired temp.)	X	–	–	–
Further technical information	page 72	page 72	page 72	page 72

